

GLA06 Records: Release 34

See the [GLAS Altimetry Data Dictionary](#) for details of each record, including units and scaling factors. The GLAS science team created this dictionary. Units and scaling factors with a "d" indicate double-precision constants; for example, a value of "1.0d5" is equivalent to 100,000. Nearly all integers are signed; exceptions are noted below.

The following codes are used to denote data types throughout the remainder of this document.

i1b: 1-byte integer

i2b: 2-byte (short) integer

i4b: 4-byte (long) integer

r4b: 4-byte real

r8b: 8-byte real

Values in parentheses indicate the record size, for example:

i2b(39): 39 records of 2-byte integers

i1b(48,40): 48-record x 40-record array of 1-byte integers

When comparing data from different products, the record index is consistent as long as all products represent the same release of data. If you want to compare different products with different releases, you should update your oldest product to the latest release. For example, if you want to compare data from a GLA05 Release-12 file and GLA12 Release-18 file, you should order a new GLA05 Release-18 file to replace the older release.

The [ICESat/GLAS Data Releases](#) page describes characteristics and temporal coverage of each version of data.

Table 1. GLA06 Records

Name	Short Description	Byte Offset	Data Type	Total Bytes
i_rec_ndx	GLAS record index	0	i4b	4
i_UTCTime	Transmit time of first shot in frame in J2000	4	i4b(2)	8
i_transtime	One-way transmit time	12	i2b	2
i_Spare1	2 byte spare	14	i1b(2)	2
i_deltapstmcor	Delta GPS time correction	16	i4b	4
i_dShotTime	Laser shot time deltas (shots 2-40)	20	i4b(39)	156
i_lat	Spot 1 coordinate data, latitude corrected	176	i4b(40)	160
i_lon	Spot 1 coordinate data, longitude corrected	336	i4b(40)	160
i_elev	Surface elevation	496	i4b(40)	160
i_campaign	Campaign	656	i1b(2)	2
i_spare40	i_spare40	658	i2b	2
i_cycTrk	Cycle and Track	660	i4b	4
i_localSolarTime	Local apparent solar time	664	i4b	4

Name	Short Description	Byte Offset	Data Type	Total Bytes
i_spare41	Spare 41	668	i4b(7)	28
i_deltaEllip	Delta Ellipsoid	696	i2b(40)	80
i_beamCoelv	Co-elevation	776	i4b(40)	160
i_beamAzimuth	Azimuth	936	i4b(40)	160
i_d2refTrk	Distance to the reference ground track	1096	i4b(40)	160
i_SigBegOff	Signal Begin Range Increment	1256	i4b(40)	160
i_DEM_hires_src	High Resolution Source Flag	1416	i1b(40)	40
i_DEMhiresArElv	DEMhiresArElv	1456	i2b(9,40)	720
i_ElevBiasCorr	Elevation Bias Correction	2176	i2b(40)	80
i_GmC	GmC	2256	i2b(40)	80
i_spare42	Spare 42	2336	i2b(3,40)	240
i_sigmaatt	Attitude quality indicator	2576	i2b(40)	80
i_Azimuth	Local azimuth	2656	i4b	4
i_SolAng	Solar incidence angle	2660	i4b	4
i_tpintensity_avg	Transmit pulse intensity - frame average	2664	i4b	4
i_tpazimuth_avg	Transmit pulse azimuth - frame average	2668	i2b	2
i_tpeccentricity_avg	Transmit pulse eccentricity - frame average	2670	i2b	2
i_tpmajoraxis_avg	Transmit pulse major axis - frame average	2672	i2b	2
i_poleTide	Pole Tide	2674	i1b(2)	2
i_gdHt	Geoid	2676	i2b(2)	4
i_erElv	Solid earth tide elevation (at first and last shot)	2680	i2b(2)	4
i_spElv	Tide elevations, specific	2684	i2b(4)	8
i_ldElv	Load tide elevation	2692	i2b(4)	8
i_spare12	Spares	2700	i2b(2)	4
i_wTrop	Range correction - wet troposphere	2704	i2b(2)	4
i_dTrop	Range correction - dry troposphere	2708	i2b(40)	80
i_surfType	Region type	2788	i1b	1
i_spare 11	Spare 11	2789	i1b(3)	3
i_DEM_elv	DEM elevation	2792	i4b(40)	160
i_refRng	Reference range	2952	i4b(40)	160

Name	Short Description	Byte Offset	Data Type	Total Bytes
i_TrshRngOff	Threshold retracker range offset	3112	i4b(40)	160
i_spare_47	Spare 47	3272	i4b(40)	160
i_SigEndOff	Signal end range offset	3432	i4b(40)	160
i_cntRngOff	Centroid range offset	3592	i4b(40)	160
i_reflctUC	reflctUC	3752	i4b(40)	160
i_reflCor_atm	Reflectance correction, atmosphere	3912	i4b	4
i_maxSmAmp	Peak amplitude of smoothed received echo	3916	i2b(40)	80
i_ocElv	Ocean tide elevation (at first and last shot)	3996	i2b(40)	80
i_numPk	Number of peaks found in the return	4076	i1b(40)	40
i_kurt2	Kurtosis of the received echo (standard)	4116	i2b(40)	80
i_skew2	Skewness	4196	i2b(40)	80
i_spare4	Spares	4276	i1b(160)	160
i_isRngOff	Ice sheet range offset	4436	i4b(40)	160
i_siRngOff	Sea ice range offset	4596	i4b(40)	160
i_ldRngOff	Land range offset	4756	i4b(40)	160
i_ocRngOff	Ocean range offset	4916	i4b(40)	160
i_nPeaks1	Initial number of peaks in received echo (alternative)	5076	i1b(40)	40
i_ElvuseFlg	Elevation use flag	5116	i1b(5)	5
i_atm_avail	Atmosphere availability flag	5121	i1b	1
i_spare16	Spare 16	5122	i1b(4)	4
i_cld1_mswf	Cloud multiple scattering warning flag	5126	i1b	1
i_MRC_af	Medium resolution cloud availability flag	5127	i1b	1
i_spare9	Spares	5128	i1b(40)	40
i_ElvFlg	Elevation definition flag	5168	i1b(40)	40
i_rng_UQF	Range offset quality/use flag	5208	i2b(40)	80
i_spare49	Spare 49	5288	i1b(10)	10
i_timecorflg	Time correction flag	5298	i2b	2
i_APID_AvFlg	APID data availability flag	5300	i1b(8)	8
i_AttFlg2	Attitude flag 2	5308	i1b(20)	20
i_spare5	Spares	5328	i1b	1

Name	Short Description	Byte Offset	Data Type	Total Bytes
i_FrameQF	Altimeter frame quality flag	5329	i1b	1
i_OrbFlg	POD flag (orbit flag)	5330	i1b(2)	2
i_rngCorrFlg	Range correction flag	5332	i1b(2)	2
i_CorrStatFlg	Correction status flag	5334	i1b(2)	2
i_spare15	Spare 15	5336	i1b (8)	8
i_AttFlg1	Attitude flag 1	5344	i2b	2
i_Spare6	Spares	5346	i1b(2)	2
i_spare_44	Spare 44	5348	i1b (120)	120
i_satNdx	Saturation Index	5468	i1b (40)	40
i_satElevCorr	Saturation Elevation Correction	5508	i2b (40)	80
i_satCorrFlg	Saturation Correction Flag	5588	i1b (40)	40
i_satNrgCorr	Saturation Energy Correction	5628	i2b (40)	80
i_spare13	Spares	5708	i2b (40)	80
i_gval_rcv	Gain Value used for Received Pulse	5788	i2b (40)	80
i_RecNrgAll	Received Energy signal begin to signal end	5868	i2b (40)	80
i_FRir_cldtop	Full Resolution 1064 Cloud Top	5948	i2b (40)	80
i_FRir_qaFlg	Full Resolution 1064 Quality Flag	6028	i1b (40)	40
i_atm_char_flg	Atmosphere Characterization Flag	6068	i2b	2
i_atm_char_conf	Atmosphere Characterization Flag Confidence	6070	i2b	2
i_spare48	Spare 48	6072	i1b(36)	36
i_FRir_intsig	Full Resolution 1064 Integrated Signal	6108	i2b (40)	80
i_spare14	Spares	6188	i1b (120)	120
i_Surface_temp	Surface Temperature	6308	i2b	2
i_Surface_pres	Surface Pressure	6310	i2b	2
i_Surface_relh	Relative Humidity	6312	i2b	2
i_pctSAT	Percent Saturation	6314	i1b (40)	40
i_maxRecAmp	Max Amplitude of Received Echo	6354	i2b (40)	80
i_sDevNsOb1	Standard deviation of 1064 nm Background noise (alternate)	6434	i2b (40)	80
i_TxNrg	1064 nm laser transmit energy	6514	i2b(40)	80
i_eqElv	Equilibrium tide elevation (at first and last shot)	6594	i2b(2)	4
i_Spare7	spares	6598	i1b (282)	282

Name	Short Description	Byte Offset	Data Type	Total Bytes
		6880		

Document last updated: 01 November 2013